Saskatchewan
Ministry of
Agriculture

Crop Report

Crop Report for the Period August 31 to September 6, 2010

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 23, September 9, 2010

Thirteen per cent the 2010 crop has been combined, according to Saskatchewan Agriculture's weekly Crop Report. An additional 31 per cent is swathed or ready to straight-combine.

The five-year provincial average (2005 to 2009) for this time of year is 35 per cent combined and an additional 29 per cent swathed or ready to straight-combine. Significant rainfall during the week in most areas of the province continues to delay crop maturity and slow harvest.

Saskatchewan Harvest % combined this week (Sept 6, 2010)	
Winter wheat	70
Fall rye	72
Spring wheat	4
Durum	2
Oats*	5
Barley	9
Triticale**	47
Flax	0
Canola	6
Mustard	22
Sunflowers	0
Lentils	29
Peas	57
Canary seed	0
Chickpeas	2
Total	**13**

*includes two per cent 'other'
**included 40 per cent 'other'

The southwest has 22 per cent of the crop combined, the southeast 19 per cent, and the northeast and west-central regions have seven per cent combined. In east-central Saskatchewan, eight per cent of the crop has been combined and in northwest Saskatchewan, six per cent has been combined.

The majority of crop damage is being caused by rain and disease. Lodging, flooding, bleaching and sprouting caused by the rain are damaging crops. Wheat stem sawflies are causing damage in the southwest region.

One year ago

Just over 18 per cent of the 2009 crop had been combined. An additional 19 per cent was swathed or ready to straight combine. Warm and dry weather allowed for good harvest progress.

Hail was reported in some areas. Fields are very wet, making harvest difficult.

Producers are trying to finish up haying. Rain continues to delay the completion of the haying season.

Farmers are also busy harvesting, hauling bales and trying to control weeds on unseeded acres.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Saskatchewan Crop Insurance Report

For producers who selected winterkill insurance, fall rye and winter wheat must be seeded by September 15 to be eligible.

The deadline to submit forage claims and declarations is September 30. If producers have not completed harvest by this date, they may request an extension of insurance. Forage claims submitted between October 1 and November 15 will have claims reduced by 25 per cent; claims will not be accepted after November 15.

September 30 is also the deadline to submit Excess Moisture Program (EMP) applications for acres unseeded by June 20 or seeded and subsequently flooded on or before July 31.

The last day for AgriStability participants to submit their 2009 program forms without penalty is September 30, 2010.

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Between 5 mm and 73 mm of rain fell on the region during the week, slowing harvest progress. Most areas reported rain, with the majority of it falling on Sunday and Monday (Sept 5 and 6). The Gainsborough area received 26 mm, the Lampman area 60 mm, the Wawota area 9 mm, the Glenavon area 73 mm, the Weyburn area 11 mm, the Fillmore area 41 mm, the Indian Head area 58 mm, the Moose Jaw area 5 mm and the Ceylon area 29 mm. Most areas received more than 25 mm of rain.

In some areas in the region, producers were only able to get in a couple of harvesting days last week. Nineteen per cent of the crop is combined and an additional 35 per cent is swathed or ready to straight-cut. Last year at this time, eighteen per cent of the crop had been combined. Crop District (CD) 1A has 22 per cent combined, CD 1B 12 per cent, CD 2A 23 per cent, CD 2B 17 per cent and CD 3ASE has 18 per cent combined.

Crop damage is mostly attributed to the rain, which has caused flooding and lodging. Disease is also causing crop damage. Sprouting, bleaching and staining in swathed/dessicated crops are also causing damage. With all the rain, farmers are concerned about crop quality and bushel weight.

Haying is essentially complete in the region. Farmers are cutting greenfeed crops.

Farmers are swathing and combining between rain showers. Some are reluctant to swath due to all the rain forecast from week to week. Wet fields are causing problems for the harvesting equipment. Some producers are having to dump grain into grain carts on the road as the fields are too soft. Swathed crops are sprouting is some areas. Heavy dew in the mornings and again in the evenings makes for short combining days. There is not very much fall seeding. Farmers are harvesting, hauling bales and controlling weeds on unseeded acres.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The region received between zero and 68 mm of rain during the past week. Most of it fell on Sunday and Monday. The Viceroy area received 5 mm, the Glentworth area 68 mm, the Eyebrow area 12 mm, the Spring Valley area 31 mm, the Shaunavon area 8 mm, the Vanguard area 47 mm, the Lucky Lake area 24 mm, the Consul area 2 mm, the Gull Lake area 24 mm and the Richmound area 3 mm. The Leader area received no rain for the week. Most of the region received more than 20 mm for the week.

Good harvest progress was made until the rain later on in the week. The region has 22 per cent of the 2010 crop combined and an additional 21 per cent is swathed or ready to straight-cut. Last year at this time, 43 per cent of the crop had been combined. Crop districts 3ASW and 3BN have 22 per cent of the crop combined, CD 3AN 19 per cent, CD 3BS 24 per cent, CD 4A 13 per cent and CD 4B has 28 per cent combined.

Crop damage has been caused by rain and disease. Heavy rains have caused flooding as well as lodging, bleaching, sprouting and staining in crops. Wheat stem sawflies are causing damage. Hail was reported in the Mossbank, Shaunavon and Richmound areas. Temperatures dipped below zero for an hour or so on a couple nights in the Shaunavon, Maple Creek and Consul areas. Crop damage has yet to be assessed.

Haying is wrapping up.

Farmers are busy trying to harvest and hauling bales. Frost is a concern. The rain on desiccated/swathed pulses and cereals has farmers worried about crop quality. Drying weather is needed. There are some reports of winter wheat being seeded.

East-Central Saskatchewan (Crop Districts 5 and 6a)

It was yet another wet week for the region. All crop reporters recorded rain for the past week in amounts ranging from one to 95 mm. Most areas reported receiving more than 30 mm of rain for the week, with the majority of it falling on Sunday and Monday. In CD 5A, precipitation ranged from 4 mm to 78 mm. In CD 5B, precipitation ranged from 7 mm to 67 mm, and in CD 6A, precipitation ranged from one to 95 mm. Since April 1, the region has received between 310 mm to 802 mm. The Churchbridge area received 4 mm, the Raymore area 78 mm, the Jedburgh area 27 mm, the Kamsack area 7 mm, the Foam Lake area 67 mm, the Chamberlain area 1 mm, the Craven area 95 mm and the Leroy area 40 mm.

Combines were able to get into the fields in some areas earlier in the week, allowing producers to get an additional four per cent of the crop combined. This brings the region to eight per cent combined and an additional 34 per cent swathed or ready to straight-cut. Last year at this time, 11 per cent of the crop had been combined. Crop District 5A has five per cent combined, CD 5B one per cent and CD 6A has 15 per cent combined.

The rain is causing lodging, sprouting, bleaching and staining. Crop disease is also causing damage. Wind is causing some crops to shatter and lodge. The number of flooded acres continues to increase. Hail was reported in the Churchbridge, Raymore, Rama and Holdfast areas. Temperatures dipped to just below zero for a night in the Rama area.

Haying is continuing in the region. Many producers are indicating that quality is poor due to the continuous rain. Some hay fields are under water.

Farmers are busy trying to finish haying and continue with harvesting. There are reports of combines, swathers and grain carts getting stuck in fields. Most of the late crops are starting to mature. Some crops are being desiccated by airplane. Some farmers are just now able to start controlling weeds on unseeded acres. Crops that have been desiccated or have received pre-harvest applications are taking a long time to dry down. Farmers are reluctant to swath because of the continued wet weather. Sunny and dry weather is needed.

West-Central Saskatchewan (Crop Districts 6B and 7)

The region received between zero and 70 mm of rain for the week, with most areas reporting more than 15 mm. The Perdue area received 70 mm, the Hanley, Kindersley and Kerrobert areas 13 mm, the Harris area 36 mm, the Macklin area 4 mm and the Sonningdale area 60 mm.

A break in the rain for a few days in some areas allowed producers to get an additional one per cent of the crop harvested. In total, seven per cent of the crop is combined and an additional 28 per cent is swathed or ready to straight-cut. Last year at this time, 16 per cent of the crop had been combined. Crop District 6B has just under eight per cent combined, and CDs 7A and 7B have just over five per cent combined.

The majority of crop damage is due to rain, which is causing disease, flooding and lodging. Wind is also causing lodging and shattering. The rain of the past few weeks has reduced crop quality. Pulses are showing high disease pressures, particularly lentils. Hail was reported in the Langham area. Temperatures dipped to just below zero for a night in the Luseland area.

Haying operations are wrapping up in the region.

Farmers are busy trying to harvest and haul bales. Crops are behind normal in development by one to two weeks, so producers are hoping for warm and sunny weather. The irrigated potato harvest is under way. There were reports of some winter wheat being seeded. Swathing and desiccating is in full swing. Peas and canola are being combined. Wild buckwheat is causing problems by getting tangled in combine headers. Some areas had a good run on harvest and haying until Monday's rain. One reporter commented that he had gone two weeks without rain.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

The region received between 10 mm and 45 mm of rain for the week. The Garrick area reported 10 mm, the Tisdale area 14 mm, the Star City and Melfort areas 23 mm, the Kinistino area 45 mm and the Alvena area 30 mm.

Farmers in some areas were able make a little progress in swathing and desiccating between rain showers. The region has seven per cent of the crop combined and an additional 42 per cent swathed or ready to straight-cut. Last year at this time, five per cent of the crop had been combined. Crop District 8A has nine per cent combined, CD 8B has six per cent combined and CD 9AE has seven per cent combined.

Crop damage is due to rain, which has caused flooding, disease and lodging. Wind is also causing lodging and shattering. Hail was reported in the Tisdale and Garrick areas and did some damage to swathed canola crops around Garrick.

Livestock producers are trying to finish haying.

Farmers are busy getting ready for harvest, harvesting and controlling weeds on unseeded acres. Some crops have been combined tough, so aeration fans and grain dryers have started up. Crop staging is variable across the region. Fields are very wet in areas and equipment is getting stuck. Some winter wheat and fall rye was being seeded.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

The region received between 2 mm and 82 mm of rain during the past week , with the majority of it falling on Sunday and Monday. The rain was definitely not wanted, as fields were just starting to dry up for harvest. The Medstead area received 37 mm, the Hafford and Duck Lake areas 45 mm, the Debden area 54 mm, the Neilburg area 12 mm, the Meadow Lake area 82 mm and the Dorintosh area 60 mm.

Progress was made with harvest at the beginning of the week. The region has six per cent of the 2010 crop combined and an additional 35 per cent swathed or ready to straight-cut. Last year at this time, five per cent of the crop was off the field. Crop District 9AW has just under eight per cent of the crop combined and CD 9B has five per cent of the crop combined.

Rain is causing the majority of crop damage. Wind is also causing lodging and some shattering. Hail was reported in the Hafford area. Temperatures briefly dipped below zero one night in the St. Walburg and Pierceland areas.

Only a small amount of hay remains in the field.

Warm and sunny weather is needed. Farmers are busy getting ready for harvest, harvesting and hauling bales. Crops are being cut for greenfeed and swath-grazing. Until the weekend, good progress was being made combining and swathing peas and canola. Bales are being hauled and fields are quite soft.

Saskatchewan Harvest Progress September 6, 2010

winter wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	2	4	9	85
SW*	6	1	8	85
EC	7	5	32	56
WC	3	7	25	65
NE	0	3	2	95
NW	60	40	0	0

Spring wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	56	10	23	11
SW*	77	7	12	4
EC	84	4	10	2
WC	85	10	4	1
NE	73	5	18	4
NW	81	8	7	4

Durum	% Standing	% in swath	% ready to straight combine	% combined
SE	74	10	12	4
SW	77	6	14	3
EC	86	13	1	0
WC	93	5	2	0
NE	73	19	5	3
NW	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined
SE	74	12	4	10
SW*	89	8	8	4
EC**	98	1	0	0
WC	92	5	1	1
NE	90	5	2	3
NW	85	11	0	0
rated as other - south west 11 per cent, east and WC one per cent, north west four percent				

Barley	% Standing	% in swath	% ready to straight combine	% combined
SE	56	13	10	21
SW	69	2	20	9
EC	77	9	8	6
WC	86	8	4	2
NE	65	11	11	13
NW	70	19	2	9

Lentils	% Standing	% in swath	% ready to straight combine	% combined
SE	34	13	10	43
SW	34	4	21	41
EC	38	4	35	23
WC	62	10	18	10
NE	57	12	22	9
NW	N/A	N/A	N/A	N/A

Peas	% Standing	% in swath	% ready to straight combine	% combined
SE	8	8	10	74
SW	15	0	13	72
EC	25	7	25	43
WC	31	5	24	40
NE	29	3	27	41
NW	32	1	30	37

Canola	% Standing	% in swath	% ready to straight combine	% combined
SE	20	67	0	13
SW	30	52	0	18
EC	35	59	1	5
WC	30	64	1	5
NE	29	64	3	4
NW	36	62	1	1

Mustard	% Standing	% in swath	% ready to straight combine	% combined
SE	51	34	4	11
SW	41	10	14	35
EC	53	34	5	8
WC	70	29	0	1
NE	80	20	0	0
NW	N/A	N/A	N/A	N/A

Triticale	% Standing	% in swath	% ready to straight combine	% combined
SE	N/A	N/A	N/A	N/A
SW*	34	12	1	8
EC	N/A	N/A	N/A	N/A
WC	96	4	0	0
*44 per cent is rated as 'other'.				

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 6, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

Data Source
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 8, 2010

Weekly Rainfall

for the week ending September 6, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 8, 2010

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period to August 31 to Sept 6, 2010

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	28.0	482.0
	2	Mount Pleasant	36	395
	3	Enniskillen	56	458
	33 A	Moose Creek	N/A	249
	33 B	Moose Creek	N/A	385
	34	Browning	60	407
	61	Antler	N/A	490
	63	Moose Mountain	35	445
	64	Brock	58	451
	65	Tecumseh	47	448
1B	91	Maryfield	11	422
	92	Walpole	9	367
	93	Wawken	14	494
	95	Golden West	60	442
	122	Martin	15	427
	123 A	Silverwood	27	353
	123 B	Silverwood	N/A	N/A
	124	Kingsley	27	372
	125	Chester	73	429
	151 A	Rocanville	14	505
	151 B	Rocanville	N/A	480
	153	Willowdale	18	505
	154	Elcapo	24	489
	155	Wolseley	54	580
2A	66	Griffin	31	545
	67	Weyburn	11	467
	68	Brokenshell	11	397
	69	Norton	N/A	313
	96	Filmore	41	396
	97	Wellington	22	354
2B	127 A	Francis	25	416
	127 B	Francis	25	293
	129	Bratt's Lake	34	370
	156 A	Indian Head	58	517
	156 B	Indian Head	38	488
	157	South Qu'appelle	N/A	NIL
	160	Perce	8	378
	161	Moose Jaw	5	384
	191	Marquis	18	447
3ASE	38 A	Laurier	N/A	442
	38 B	Laurier	8	404
	39 A	The Gap	10	355
	39 B	The Gap	29	519
3ASW	10	Happy Valley	N/A	410
	11	Hart Butte	N/A	NIL
	12	Poplar Valley	7	306
	40	Bengough	N/A	382
	42	Willow Bunch	25	377
	43	Old Post	10	381
	44	Waverley	88	437
	70	Key West	N/A	371
	71 A	Excel	5	383
	71 B	Excel	N/A	288
	73 A	Stonehenge	29	344
	73 B	Stonehenge	15	438
	74	Wood River	38	399
3AN	101	Terrell	31	438
	102	Lake Johnston	14	336
	103	Sutton	23	367
	134	Shamrock	N/A	434
	164	Chaplin	22.5	397
	193	Eyebrow	12	394
	194	Enfield	N/A	411
3BS	17	Val Marie	20	40
	45	Mankota	41	333
	75 A	Pinto Creek	N/A	308
	75 B	Pinto Creek	44	352
	76 A	Auvergne	40	316
	76 B	Auvergne	41	307
	77	Wise Creek	27	302
	78 A	Grassy Creek	12	402
	78 B	Grassy Creek	16	388
	78 C	Grassy Creek	8	405
	105	Glenbain	41	344
	106	Whitka Creek	47	288
	107	Lac Pelletier	15	323
	108	Bone Creek	N/A	396
3BN	138	Webb	29	415
	165	Morse	N/A	NIL
	166	Excelsior	30	519
	167	Sask. Landing	20.6	468
	168	Riverside	24	474
	226	Victory	24	432
	228	Lacadena	19	458
	256	Coteau	N/A	NIL
	257	Monet	30	430

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	8	383
	49 A	White Valley	5	299
	51	Reno	18	374
	79	Arlington	19	429
	109	Carmichael	24	587
	110	Popot	17	438
	111	Maple Creek	N/A	430
4B	129	Gull Lake	1	518
	141	Big Stick	3	446
	142	Enterprise	3	536
	169	Pitville	N/A	403
	171	Fox Valley	3	402
	229	Miry Creek	N/A	516
	231	Happyland	NIL	415
5A	181	Langenberg	3.5	436
	183	Fertile Belt	10	496
	185	Mideal	63	498
	186	Abernethy	N/A	387
	211	Churchbridge	13	436
	213	Saltcoats	12	519
	216	Tullymet	52	417
	241	Calder	N/A	434
	243	Wallace	N/A	404
	245 A	Garry	27	521
	245 B	Garry	52	572
	246	Ituna Bon Accord	50	457
	247	Kellross	34	545
	248	Touchwood	78	402
5B	271	Cote	7	442
	275	Insinger	N/A	NIL
	276	Foam Lake	N/A	545
	277	Emerald	67	584
	278	Kutawa	N/A	NIL
	306	Invermay	33	785
	307	Elfros	56	802
	308	Big Quill	56	536
	333	Clayton	N/A	134
	335	Hazel Dell	31	499
	336	Sasman	24	653
	337	Lakeview	43	533
	338	Lakeside	42	556
	366	Kelvington	32	455
6A	190 A	Dufferin	39	310
	190 B	Dufferin	17	405
	190 C	Dufferin	43	360
	190 D	Dufferin	0.76	340
	219 A	Longlaketon	77	437
	219 B	Longlaketon	95	513
	220	Mickillop	N/A	344
	221	Sarnia	15.2	451
	222	Craik	11	465
	251	Big Arm	27	457
	252	Arm River	N/A	367
	279	Mount Hope	42	491
	280	Wiefrid	45	432
	282	McCraney	13	449
	309	Prairie Rose	58	539
	313	Last River	14	415
	339	Leroy	40.2	569
	340	Wolverine	42	558
	341	Viscount	30	519
	343	Blucher	18	527
6B	253	Wilner	22	386
	283	Rosedale	13	518
	284	Rudy	21	503
	285	Fertile Valley	49	492
	286	Milden	49	517
	314	Dundurn	16	525
	344	Corman Park	40	504
	346	Perdue	70	594
	376 A	Eagle Creek	50	683
	376 B	Eagle Creek	60	523
7A	260	Newcombe	N/A	390
	260 B	Newcombe	13	316
	287	St. Andrews	28	393
	288	Pleasant Valley	25	409
	290 A	Kindersley	0.34	385
	290 B	Kindersley	N/A	390
	292	Milton	5	339
	317 A	Marriott	23	540
	317 B	Marriott	36	584
	318 A	Mountain View	20	521
	318 B	Mountain View	22	537
	320	Oakdale	N/A	383
	321	Prairiedale	3	389

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	29	436
	347 B	Biggar	43	458
	350 A	Manitou	19	324
	350 B	Manitou	13	394
	351	Progress	14	429
	352	Heart's Hill	6	466
	377	Glenside	60	523
	378 A	Rosemount	22	370
	378 B	Rosemount	21	460
	379	Retlud	23	420
	380	Tramping Lake	15	372
	381	Grass Lake	10	516
	382	Eye Hill	N/A	376
	439	Buffalo	20	545
	410	Round Valley	15	452
	411	Senlac	4	435
8A	395	Porcupine	17	478
	397	Garner Valley	14.2	523
	428	Star City	23	452
	456	Arborfield	11	411
	457	Connaught	14	590
	458	Willow Creek	20	482
	486	Moose Range	19	431
8B	369	St. Peter	40	531
	370	Humboldt	30	605
	371	Bayne	35	550
	372	Grant	28.6	524
	402	Fish Creek	30	454
	429 A	Flett's Springs	23	342
	429 B	Flett's Springs	28	487
	430	Invergordon	N/A	43
	459	Kinistino	45	470
9AE	451	Prince Albert	N/A	442
	488	Torch River	10	483
	520	Paddockwood	N/A	67
9AW	406	Mayfield	43	377
	435	Redberry	45	499
	436	Douglas	35	287
	463	Duck Lake	45	451
	464	Leask	50	502
	467	Round Hill	N/A	NIL
	494	Canwood	54	506
	496	Spiritwood	50	576
	497	Medstead	37	411
9B	436	Battle River	20	427
	440	Hillsdale	12	372
	442	Manitou Lake	16.9	382
	496 A	Parkdale	31	401
	496 B	Parkdale	N/A	319
	499	Marven	19	334
	501 A	Frenchman Butte	21	378
	501 B	Frenchman Butte	18	327
	501 C	Frenchman Butte	20	493
	502	Britannia	19	466
	561	Loon Lake	34	386
	588 A	Meadow Lake	62	461
	588 B	Meadow Lake	24	427
	588 C	Meadow Lake	39	449
	588 D	Meadow Lake	60	444
	622	Beaver River	1.5	396

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2010
To: September 6, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 8, 2010

Cumulative Rainfall

From: April 1, 2010
To: September 6, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 8, 2010